


Examination Room Plans

Contents

| Room | Page | | Room | Page |
|------------------------|-------------|--|------------------------|-------------|
| Glen Eyre Main Hall | 3 | | 46/3001 | 39 |
| 2/1039 | 4 | | 54/4011 | 40 |
| 2/1079 | 5 | | 54/5025 | 41 |
| 2/1083 | 6 | | 54/5027 | 42 |
| 2/1085 | 7 | | 58/1007 (Z) | 43 |
| 2/1089 | 8 | | 58/1009 (Z) | 44 |
| 2/2063 | 9 | | 58/1039 (Z) | 45 |
| 2A/Foyer | 10 | | 58/1043 (Z CAA) | 46 |
| 2A/2065 | 11 | | 58/1049 (Z CAA) | 47 |
| 2A/2077 | 12 | | 58/1067 (Z) | 48 |
| 5/2011 | 13 | | 65/1133 (Avenue L/T A) | 49 |
| 5/2015 | 14 | | 65/1175 (Avenue L/T C) | 50 |
| 5/2017 | 15 | | 65/1201 (Avenue L/T B) | 51 |
| 7/3003 | 16 | | 67/1001 (Z) | 52 |
| 18/Jubilee Sports Hall | 17 | | 67/1027 | 53 |
| 25/1007 | 18 | | 67/2031 | 54 |
| 25/1009 | 19 | | 85/2207 | 55 |
| 25/1011 (Z) | 20 | | 85/2209 (Z) | 56 |
| 25/1017 (Z) | 21 | | 85/2211 (Z) | 57 |
| 28/1017 (Z) | 22 | | 85/2213 | 58 |
| 28/1019 (Z) | 23 | | | |
| 28/1021 (Z) | 24 | | | |
| 32/1015 | 25 | | | |
| 34/1001 | 26 | | | |
| 35/1001 | 27 | | | |
| 35/1005 | 28 | | | |
| 40/Garden Court A & B | 29 | | | |
| 40/Garden Court C | 30 | | | |
| 42/SU Sports Hall | 31 | | | |
| 44/1041 | 32 | | | |
| 44/1061 | 33 | | | |
| 44/3095 | 34 | | | |
| 45/0045 | 35 | | | |
| 45/1016 | 36 | | | |
| 46/2003 | 37 | | | |
| 46/2005 | 38 | | | |

Glen Eyre Main Hall





Glen Eyre Main Hall - Max capacity 126

- Level – Ground Floor
- Toilets – Along corridor by Halls Office
- Telephone – Radio
- Lighting – On left hand wall by stage
- Ventilation – Windows
- Layout - Flat
- Seating - Temporary desks & chairs (delivered by porters)
- Invigilation - 3 members of staff

Building 2/1039

Back of Room




FRONT

Building 2/1039 - Max capacity 55

- Level – Lower Ground Floor
- Toilets – Out of room turn left, then left again, follow down the corridor and it is on the right hand side.
- Telephone – Radio
- Lighting – Auto (switch panel on wall at back of room)
- Ventilation – Automatic
- Layout - Raked
- Seating - Fixed benching
- Invigilation – 2 members of staff


Building 2/1079



Building 2/1079 - Max capacity 30

- Level – Lower Ground Floor
- Toilets – Lower Ground floor, out of main Foyer and along corridor
- Telephone – Radio
- Lighting – Switch panel on wall
- Ventilation – Automatic
- Layout - Raked
- Seating - Fixed benching
- Invigilation – 2 members of staff


Building 2/1083



Building 2/1083 - Max capacity 49

- Level – Lower Ground Floor
- Toilets – Lower Ground floor, out of main Foyer and along corridor
- Telephone – Radio
- Lighting – Switch panel on wall
- Ventilation – Automatic
- Layout - Raked
- Seating - Fixed benching
- Invigilation – 2 members of staff


Building 2/1085



Building 2/1085 - Max capacity 48

- Level – Lower Ground Floor
- Toilets – Lower Ground floor, out of main Foyer and along corridor
- Telephone – Radio
- Lighting – Switch panel on wall
- Ventilation – Automatic
- Layout - Raked
- Seating - Fixed benching
- Invigilation – 2 members of staff


Building 2/1089



Building 2/1089 - Max capacity 72

- Level – Lower Ground Floor
- Toilets – Lower Ground floor, out of main Foyer and along corridor
- Telephone – Radio
- Lighting – Switch panel on wall
- Ventilation – Automatic
- Layout - Raked
- Seating - Fixed benching
- Invigilation – 2 members of staff

Building 2/2063




Building 2/2063 - Max capacity 22

Computer Room

- Level – Ground Floor
- Toilets – Turn right along the corridor to main entrance (follow signs)
- Telephone – Radio
- Lighting – Automatic (switches on the wall by the entrance)
- Ventilation – Automatic
- Layout - Flat
- Seating - Fixed benching
- Invigilation - 2 members of staff


Building 2A/Foyer



Building 2A/Foyer - Max capacity 42

- Level – Ground floor
- Toilets – In building 6 Nuffield Theatre
- Telephone – Radio
- Lighting – Automatic
- Ventilation – Doors
- Layout - Flat
- Seating - Temporary desks & chairs, large table (delivered by porters)
- Invigilation - 2 members of staff


Building 2A / 2065



Building 2A/2065 - Max capacity 87

- Level – Lower Ground floor,
- Toilets – In building 6 (Nuffield Theatre)
- Telephone – Radio
- Lighting – Automatic
- Ventilation – Automatic
- Layout - Raked
- Seating - Temporary & Fixed Benching, large table (delivered by porters)
- Invigilation– 2 members of staff


Building 2A / 2077



Building 2A/2077 - Max capacity 75

- Level – Lower Ground floor,
- Toilets – In building 6 (Nuffield Theatre)
- Telephone – Radio
- Lighting – Automatic
- Ventilation – Automatic
- Layout - Raked
- Seating - Temporary & Fixed Benching, large table (delivered by porters)
- Invigilation - 2 members of staff


Building 5 / 2011



Building 5/2011 - Max capacity 25

- Level – Ground floor, go past reception – through sliding doors. Room 1007 is halfway down on the right hand side
- Toilets – Along the corridor
- Telephone – Radio only
- Lighting – Control panel on wall
- Ventilation – windows/possible air conditioning
- Layout - Raked
- Seating - Fixed benching
- Invigilation - 2 members of staff


Building 5 / 2015



Building 5/2015 - Max capacity 40

- Level – Ground Floor
- Toilets – Ground Floor
- Telephone – Radio
- Lighting – Switch on wall
- Ventilation – Windows
- Layout - Raked
- Seating - Fixed benching
- Invigilation - 2 members of staff


Building 5 / 2017



Building 5/2017 - Max capacity 39

- Level – Ground Floor
- Toilets – Ground Floor
- Telephone – Radio
- Lighting – Switch on wall
- Ventilation – Windows
- Layout - Raked
- Seating - Fixed benching
- Invigilation - 2 members of staff


Building 7/3009



Building 7/3009 - Max capacity 110

- Level – 3
- Toilets – Level 3,4 & 5
- Telephone – Radio
- Lighting – 3 sets on the wall to operate the front of the room, main lights are operated from a touch panel on the lectern
- Ventilation – Automatic
- Layout - Raked
- Seating - Fixed benching, large desk (delivered by porters)
- Invigilation - 3 members of staff


Building 18/Jubilee Sports Hall



Building 18/Jubilee Sports Hall - Max capacity 524

- Level – Ground floor
- Toilets – Along the corridor
- Telephone – Radio only
- Lighting – On wall
- Ventilation – Automatic
- Layout - Flat
- Seating - Temporary desks & chairs, large tables (delivered by porters)
- Invigilation - 11 members of staff (Including TL)

Building 25/1007




Building 25/1007 - Max capacity 44

Computer Room

- Level – Ground Floor
- Toilets – Female toilets along corridor, gents in same location but one floor above
- Telephone – Radio
- Lighting –
- Ventilation – Windows/Air conditioning
- Layout - Flat
- Seating - Fixed benching
- Invigilation - 2 members of staff

Building 25/1009




Building 25/1009 - Max capacity 81

Computer Room

- Level – Ground Floor
- Toilets – Female toilets along corridor, gents in same location but one floor above
- Telephone – Radio
- Lighting –
- Ventilation – Windows/Air conditioning
- Layout - Flat
- Seating - Fixed benching
- Invigilation - 3 members of staff

Building 25/1011 (Z)




Building 25/1011 (Z) - Max capacity 22

Computer Room

- Level – Ground Floor
- Toilets – Female toilets along corridor, gents in same location but one floor above
- Telephone – Radio
- Lighting – Switch on wall
- Ventilation – Windows/Air conditioning
- Layout - Flat
- Seating - Fixed benching
- Invigilation - 2 members of staff


Building 25 / 1017 (Z)



Building 25/1017 (Z) - Max capacity 9 Computer Room

- Level – Ground Floor
- Toilets – Female toilets along corridor, gents in same location but one floor above
- Telephone – Radio
- Lighting – Switch on wall
- Ventilation – Windows/Air conditioning
- Layout - Flat
- Seating - Fixed benching
- Invigilation - 2 members of staff

Building 28/1017 (Z)



Building 28/1017 (Z) - Max capacity 16

Level – Ground

Toilets – Are next to 2017

Telephone – In Room

Lighting – switches are on the wall next to the door


Ventilation – Windows

Layout – Flat room

Seating – Desks and Chairs

Invigilation – 2 members of staff

Building 28/1019 (Z)



Building 28/1019 (Z) - Max capacity 16

Level – Ground

Toilets – Are next to 2017, go out of the building and into the next entrance next to 2017

Telephone – In Room

Lighting – switches are on the door next to the door


Ventilation – Windows

Layout – Flat room

Seating – Desks and Chairs

Invigilation - 2 members of staff

Building 28/1021 (Z)



Building 28/1021 (Z) - Max capacity 16

Level – Ground

Toilets – Are next to 1017, go out of the building and into the next entrance next to 2017

Telephone – In Room

Lighting – switches are on the wall next to the door


Ventilation – Windows

Layout – Flat room

Seating – Desks and Chairs

Invigilation – 2 members of staff


Building 32/1015



Building 32/1015 - Max capacity 223

- Level – Ground, go past reception through sliding doors, turn right
- Toilets – Along the corridor
- Telephone – Radio
- Lighting – Control panel by workstation on right hand wall, put on number 1
- Ventilation – Windows
- Layout - Raked
- Seating - Fixed/temporary desks & chairs, large table (delivered by porters)
- Invigilation - 6 members of staff (Including TL)


Building 34/1001



Building 34/1001 - Max capacity 62

- Level – Below ground
- Toilets –
- Telephone – Radio only
- Lighting – Control panel on wall
- Ventilation – windows
- Layout - Raked
- Seating - Fixed benching
- Invigilation - 2 members of staff


Building 35/1001



Building 35/1001 - Max capacity 66

- Level – Both lecture theatres connect at same level at the front – using these doors follow corridor, turn left, kitchen (Rm 1048) on left
- Toilets – Opposite MICS reception, go through doors, toilets are along the corridor on the left hand-side
- Telephone – Radio only
- Lighting – Control panel on wall
- Ventilation – windows
- Layout - Raked
- Seating - Fixed benching
- Invigilation - 2 members of staff


Building 35/1005



Building 35/1005 - Max capacity 50

- Level – Both lecture theatres connect at same level at the front – using these doors follow corridor, turn left, kitchen (Rm 1048) on left
- Toilets – Opposite MICS reception, go through doors, toilets are along the corridor on the left hand-side
- Telephone – Radio only
- Lighting – Control panel on wall
- Ventilation – windows
- Layout - Raked
- Seating - Fixed benching
- Invigilation - 2 members of staff

Building 40/Garden Court Room A & B



Building 40/Garden Court Room A - Max capacity 160

Building 40/Garden Court Room B - Max capacity 24

Level – Ground floor

Toilets – Turn right outside the room go along the corridor until you find the stairs, the toilets are on the right

Telephone – Radio only

Lighting – Switch on wall

Ventilation – Windows


Layout - Flat

Seating - Temporary desks & chairs

Invigilation – Rm A – 3 members of staff (Including T/L)

Rm B – 1 member of staff

Building 40/Garden Court Room C



Building 40/Garden Court Room C

Max capacity 109

Level – Ground floor

Toilets – Turn right outside the room go along the corridor until you find the stairs, the toilets are on the right

Telephone – Radio only

Lighting – Switch on wall


Ventilation – Windows

Layout - Flat

Seating - Temporary desks & chairs

Invigilation - 3 members of staff

Building 42/Students Union Sports Hall




Building 42/Students Union Sports Hall

Max capacity 208

- Level – 1
- Toilets – Level 1 along corridor
- Telephone – Radio only
- Lighting – Switch on wall
- Ventilation – Automatic
- Layout - Flat
- Seating - Temporary desks & chairs, large tables (delivered by porters)
- Invigilation - 6 members of staff (Including TL)


Building 44/1041



Building 44/1041 - Max capacity 63

- Level – Level 1
- Toilets – On the left opposite room
- Telephone – Radio
- Lighting – Automatic
- Ventilation – Automatic
- Layout - Raked
- Seating - Fixed
- Invigilation– 2 members of staff

Building 44/1061



Building 44/1061 - Max capacity 91

Computer Room

Level – Ground Floor

Toilets –

Telephone – Radio

Lighting –


Ventilation – Automatic

Layout - Flat

Seating - Fixed desks & chairs, large table (delivered by porters)

Invigilation - 3 members of staff

Building 44/3095




Building 44/3095 - Max capacity 70

Computer Room

- Level – 2nd floor East
- Toilets –
- Telephone – Radio
- Lighting – Windows
- Ventilation – Automatic
- Layout - Flat
- Seating - Fixed benching
- Invigilation - 2 members of staff


Building 45/0045



Building 45/0045 - Max capacity 65

- Level – Ground floor, enter through front doors, then go around to the left and down the corridor, the room will be the left
- Toilets – Through doors to left
- Telephone – Radio only
- Lighting – Switches by the doors
- Ventilation – Windows
- Layout - Raked
- Seating - Fixed benching
- Invigilation - 2 members of staff


Building 45/1016



Building 45/1016 - Max capacity 16

- Level – Level 1
- Toilets – Turn left, follow the corridor and then on the left
- Telephone – Radio
- Lighting – Light on the wall to the left of the door
- Ventilation – Automatic
- Layout - Flat
- Seating - Fixed desks & chairs, large table (delivered by porters)
- Invigilation - 2 members of staff

Building 46/2003





Building 46/2003 - Max capacity 62

- Level – Ground floor
- Toilets – Ground floor
- Telephone – Radio only
- Lighting – Automatic
- Ventilation – Automatic
- Layout - Raked
- Seating - Fixed benching
- Invigilation - 2 members of staff

Building 46/2005


Back of Room



Building 46/2005 - Max capacity 53

- Level – Ground floor
- Toilets – Ground floor
- Telephone – Radio only
- Lighting – Automatic (switch panel on projection desk if there are any problems)
- Ventilation – Automatic
- Layout - Raked
- Seating - Fixed benching
- Invigilation - 2 members of staff


Building 46/3001



Building 46/3001 - Max capacity 168

- Level – First floor
- Toilets – Ground floor
- Telephone – Radio only
- Lighting – Automatic
- Ventilation – Automatic
- Layout - Raked
- Seating - Fixed benching
- Invigilation - 4 members of staff


Building 54/4011



Building 54/4011 - Max capacity 117

- Level – Forth Floor
- Toilets – Third Floor; Women's to the left and Men's to the right of the Lift.
- Telephone – Radio only
- Lighting – Automatic (switch on lectern)
- Ventilation – Automatic
- Layout - Raked
- Seating - Fixed benching
- Invigilation - 3 members of staff


Building 54 / 5025



Building 54/5027 - Max capacity 54

- Level – 5, come out of lift and go upstairs, 1st left
- Toilets – Level 3
- Telephone – Radio
- Lighting – Switch on wall
- Ventilation – Windows
- Layout - Flat
- Seating - Fixed benching
- Invigilation - 2 members of staff


Building 54 / 5027



Building 54/5027 - Max capacity 55

- Level – 5, come out of lift and go upstairs, 1st left
- Toilets – Level 3
- Telephone – Radio
- Lighting – Switch on wall
- Ventilation – Windows
- Layout - Flat
- Seating - Fixed benching
- Invigilation - 2 members of staff


Building 58 / 1007 (Z)



Building 58/1007 (Z) - Max capacity 48

- Level – Ground Floor, through main doors the room can be found on your left
- Toilets – Gents is opposite, ladies through double doors then turn right
- Telephone – Radio only
- Lighting – Control panel on wall
- Ventilation – Automatic
- Layout - Flat
- Seating - Fixed benching
- Invigilation - 2 members of staff


Building 58 / 1009 (Z)



Building 58/1009 (Z) - Max capacity 48

- Level – Ground Floor, through main doors the room can be found on your left
- Toilets – Gents is opposite, ladies through double doors then turn right
- Telephone – Radio only
- Lighting – Control panel on wall
- Ventilation – Automatic
- Layout - Flat
- Seating - Fixed benching
- Invigilation - 2 members of staff

Building 58 / 1043 (Z)




Building 58/1043 (Z) Max capacity 38

Computer Room

- Level – Ground floor, go past reception – through sliding doors. Room 1007 is halfway down on the right hand side
- Toilets – Along the corridor
- Telephone – Radio only
- Lighting – Control panel on wall
- Ventilation – windows/possible air conditioning
- Layout - Flat
- Seating - Fixed tables
- Invigilation - 2 members of staff

Building 58 / 1049 (Z)




Building 58/1049 (Z) - Max capacity 25

Computer Room

- Level – Ground floor, go past reception – through sliding doors. Room 1007 is halfway down on the right hand side
- Toilets – Along the corridor
- Telephone – Radio only
- Lighting – Control panel on wall
- Ventilation – windows/possible air conditioning
- Layout - Flat
- Seating - Fixed tables
- Invigilation - 2 members of staff


Building 58 / 1067 (Z)



Building 58/1067 (Z) - Max capacity 49

- Level – Ground Floor, through main doors the room can be found on your left
- Toilets – Gents is opposite, ladies through double doors then turn right
- Telephone – Radio only
- Lighting – Control panel on wall
- Ventilation – Automatic
- Layout - Flat
- Seating - Fixed benching
- Invigilation - 2 members of staff


Building 65/1133



Building 65/1133 (Avenue L/T A) - Max capacity 105

| | |
|---------------|--|
| Level – | Level 1 |
| Toilets – | At the top and bottom of both sets of stairs near the front entrance |
| Telephone – | Radio |
| Lighting – | Automatic |
| Ventilation – | Automatic |
| Layout - | Raked |
| Seating - | Fixed |
| Invigilation– | 2 members of staff |


Building 65/1175



Building 65/1175 Avenue (L/T C) - Max capacity 49

- Level – Level 1
- Toilets – At the top and bottom of both sets of stairs near the front entrance
- Telephone – Radio
- Lighting – Automatic
- Ventilation – Automatic
- Layout - Raked
- Seating - Fixed
- Invigilation– 2 members of staff


Building 65/1201



Building 65/1201 (Avenue L/T B) - Max capacity 72

- Level – Level 1
- Toilets – At the top and bottom of both sets of stairs near the front entrance
- Telephone – Radio
- Lighting – Automatic
- Ventilation – Automatic
- Layout - Raked
- Seating - Fixed
- Invigilation– 2 members of staff


Building 67 / 1001 (Z)



Building 67/1001 (Z) - Max capacity 36

- Level – Ground , go past reception – turn left, half way along the corridor on the left
- Toilets – Along the corridor near reception
- Telephone – Radio only
- Lighting – Control panel on wall
- Ventilation – Windows
- Layout - Flat
- Seating - Fixed desks & chairs
- Invigilation - 2 members of staff


Building 67/1027



Building 67/1027 - Max capacity 132

- Level – Ground floor
- Toilets – To the left of the main room through the doors
- Telephone – Radio only
- Lighting – Automatic
- Ventilation – Automatic
- Layout - Raked
- Seating - Fixed benching, large table (delivered by porters)
- Invigilation - 3 members of staff


Building 67/2031



Building 67/2031 - Max capacity 29 Computer Room, No Projector

- Level – Floor 2
- Toilets –
- Telephone – Radio
- Lighting –
- Ventilation – Automatic
- Layout - Flat
- Seating - Fixed desks & chairs
- Invigilation - 3 members of staff

Building 85/2207



Building 85/2207 - Max capacity 24

Level –

Toilets –

Telephone – Radio


Lighting –

Ventilation –

Layout - Flat

Invigilation - 2 members of staff

Building 85/2209 (Z)



Building 85/2209 (Z) - Max capacity 32

Level –

Toilets –

Telephone – Radio


Lighting –

Ventilation –

Layout - Flat

Invigilation - 2 members of staff

Building 85/2211 (Z)



Building 85/2211 (Z) - Max capacity 20

Level –

Toilets –

Telephone – Radio


Lighting –

Ventilation –

Layout - Flat

Invigilation - 2 members of staff

Building 85/2213



Building 85/2213 - Max capacity 12

Level –

Toilets –

Telephone – Radio

Lighting –

Ventilation –

Layout - Flat

Invigilation - 2 members of staff